

MEDICAL PRODUCT LISTING

2021

WINSALUS



ABOUT COMPANY

WHO WE ARE?

WINSALUS is the Healthcare subsidiary of WINANCE GROUP dedicated to the supply of medical equipment and hospital supplies around the world.

Based in Dubai, with purchasing offices in US, Europe and China we manage 150 million dollars' worth of transaction annually, thanks to:

- Our extensive product expertise
- A focus on cost-effective medical supplies and equipment solutions
- Our deep knowledge of the medical and healthcare supply chain
- Commitment to care and exceptional value for our customers

WHY US?

WINSALUS sells directly to hospitals, distributors and wholesalers all over the world with a wide range variety of products with constant emphasis on:

- **QUALITY AND COMPETITIVELY PRICED PRODUCTS:** We go beyond the mandatory ISO 9001:2015, ISO 13485:2016 and CE norms to assure products are consistently in top quality and effectiveness. We rely on experienced network of purchasers and buyers with our Asia desk.
- **FULL SPECTRUM OF EQUIPMENT AVAILABLE:** We distinguish ourselves by having a permanent inventory of most medical supplies.
- **EFFICIENT DELIVERY:** We are reputed for prompt delivery everywhere in the world.

WIN is derived from Winning
and SALUS is the Latin term
for Health



OUR PRODUCTS

We offer an extensive range of high-value, innovative and effective products from multiple categories:

MEDICAL DEVICES

- NEBULIZER
- RESPIRATORS
- PATIENT MONITORS
- DIGITAL THERMOMETERS
- OXIMETERS

PROTECTIVE CLOTHING

- COVERALL
- PROTECTIVE SUITS
- SAFETY GOGGLES
- PROTECTIVE FACE SHIELD

PERSONAL PROTECTIVE EQUIPMENT

- MASKS
- GLOVES
- ALCOHOLS
- HAND SANITIZERS

TEST KITS

- RAPID TEST (SERUM / PLASMA OR WHOLE BLOOD)
- PCR (NASOPHARYNGEAL SWAB / THROAT SWAB)



WE DON'T FIND CLIENTS FOR OUR PRODUCTS,
WE FIND PRODUCTS FOR OUR CLIENTS.



MASKS



3 PLY FACE MASK

FEATURES

3 Ply Face mask
Material/WEight: PP Non-woven
New Material: 30+20+25GSM
Earloop
Min/Max Order Qty: 10M
5,000 CRTNS = 200K BOXES

PRODUCT SPECIFICATIONS

Unit: pc
Incoterm & City: CIF

Reference: 3 Ply Face Mask



3 PLY AND MEDICAL MASKS

FEATURES

3 ply non-woven mask with two elastic earloop
Min/Max Order Qty: 6M

Manufacturing for French Government and NY Governor

PRODUCT SPECIFICATIONS

Unit: pc
Lead time: 6M pcs/day
Incoterm & City: EXW China

Reference: 3 Ply and Medical Masks



MEDICAL AND SURGICAL MASK

FEATURES

3 ply non-woven mask with two elastic earloop
Min/Max Order Qty: 6M

PRODUCT SPECIFICATIONS

Unit: pc
Lead time: 6M pcs/day
Incoterm & City: EXW China

Reference: Medical and Surgical Mask



SURG3 FDA USA FRESH

FEATURES

Surgical Mask
Min/Max Order Qty: 1M
50 pcs per box, 20 boxes/carton
Carton size: 68x30x45cm
G.W.: 8.5KGS

PRODUCT SPECIFICATIONS

Unit: pc
Stock: 20M
Lead time: 10 Millions pcs/day
Incoterm & City: FOB GUANGZHO U (CHINA)

Reference: KN95 Particulate Respirator Mask



SURG3

FEATURES

Surgical Mask
Min/Max Order Qty: 1M
50 pcs per box, 20 boxes per carton
carton size: 68x30x45cm
G.W.: 8.5KGS

PRODUCT SPECIFICATIONS

Unit: pc
Stock: 5M
Lead time: 4 Millions pcs/day
Incoterm & City: TURKEY ISTANBUL

Reference: Surg3



MASK N95 1860

FEATURES

3M N95 1860
Min/Max Order Qty: 500K

PRODUCT SPECIFICATIONS

Unit: pc
Stock: 500K
Incoterm & City: FRANCE

Reference: N95 1860



N95 MASK

FEATURES

NIOSH DTC3Z - N95
20 pcs/box

PRODUCT SPECIFICATIONS

Unit: pc
Stock: 200M
Incoterm & City: FOB CHINA

Reference: N95



KN95 FFP2 MASK

FEATURES

KN95 Particulate Respirator
Min/Max Order Qty: 1M
50 pcs/box, 1000 pcs/ctn,
carton size: 65X30X56 cm,
Weight: 10kg/ctn

PRODUCT SPECIFICATIONS

Unit: pc
Stock: 13M
Lead time: 2,000,000 pcs/day
Incoterm & City: CIF EUROPEAN AIRPORT

Reference: KN95 FFP2 Mask



FFP2 - KN 95

FEATURES

FFP2-KN 95 Individual plastic pack
Min/Max Order Qty: 1M
10 pcs per box, 30boxes per carton
carton size: 68x30x45cm
G.W.: 8.5KGS

PRODUCT SPECIFICATIONS

Unit: pc
Stock: 5M
Lead time: 3 Millions pcs/day
Incoterm & City: FOB SHANGHAI (CHINA)

Reference: Surg3



KN95 MASK - FFP2

FEATURES

KN 95, Maximum quality
duration 12 hrs
Min/Max Order Qty: 2M

PRODUCT SPECIFICATIONS

Unit: pc
Stock: 2M
Lead time: 2M every 10 days
Incoterm & City: FOB

Reference: KN95 MASK - FFP2



KN95 FACE MASK FFP2

FEATURES

5 layers. Effectively filtering and protecting from PM2.5 air particulate matter and bacteria.
Min/Max Order Qty: 5M
20 pcs / pack

PRODUCT SPECIFICATIONS

Unit: pc
Lead time: 10 Days
Incoterm & City: CIF Miami

Reference: KN95 Face Mask FFP2



KN95 FACE MASK FFP2

FEATURES

Disposable respirator. Effectively filtering and protecting from PM2.5 air particulate matter and bacteria.
Min/Max Order Qty: 1M
10 pcs/box - 150 Box/Carton

PRODUCT SPECIFICATIONS

Unit: pc
Lead time: Possible partial delivery within a week
Incoterm & City: CIF Abidjan

Reference: KN95 Face Mask FFP2

THERMOMETER



IR THERMOMETER

FEATURES

Measuring Distance: 2-5cm
 Measuring Time: 1S
 Size: 45.5*39*41cm
 Qty ≥ 50,000 or ≥ 1,000,000 or
 ≥ 5,000,000
 48pcs/ctn N.W: 7.4KG G.W: 8.0KG
 Volume Wight: 14.6kg

PRODUCT SPECIFICATIONS

Unit: pc
 Lead time: Every day have 6,000 in stock.
 Can Produce 30K pcs/day
 Incoterm & City: EXW China

Reference: IR Thermometer



INFRARED THERMOMETER

FEATURES

Body temperature: 32-43degree,
 Accuracy: Body: +/-0.2degree
 Physical mode: +/-1

Min/Max Order Qty: 100,000

PRODUCT SPECIFICATIONS

Unit: pc
 Incoterm & City: EXW China

Reference: Infrared Thermometer



INFRARED THERMOMETER

FEATURES

INFRARED THERMOMETER
 Min Qty: 10,000 - Max Qty: 500,000

PRODUCT SPECIFICATIONS

Unit: pc
 Lead time: 20K pcs/day
 Incoterm & City: EXW China

Reference: Infrared Thermometer



INFRARED THERMOMETER

FEATURES

INFRARED THERMOMETER
 Min/Max Order Qty: 50,000

PRODUCT SPECIFICATIONS

Unit: pc
 Stock: 500K
 Lead time: 10,000 pcs/day
 Incoterm & City: FOB SHENZHEN (CHINA)

Reference: ITH



INFRARED THERMOMETER

FEATURES

NON CONTACT INFRARED
 THERMOMETER
 Min Qty: 10,000 - Max Qty: 300,000

PRODUCT SPECIFICATIONS

Unit: pc
 Stock: 50K
 Lead time: 60,000 pcs/day
 Incoterm & City: FOB SHENZHEN (CHINA)

Reference: Infrared Thermometer

GLOVES



GLOVES

FEATURES

Medical Examination Gloves
Sterile
Min/Max Order Qty: 7M

PRODUCT SPECIFICATIONS

Unit: paire
Can deliver the stock in 3-4 weeks
Incoterm & City: EXW China

Reference: Face Protection



GLOVES

FEATURES

Sterile Powder-Free Surgical
Gloves
Min/Max Order Qty: 500,000

PRODUCT SPECIFICATIONS

Unit: paire
Lead time: 500K pairs/day
Incoterm & City: FOB Shanghai China

Reference: Gloves



GLOVES

FEATURES

Nitrile Examination Gloves
Sizes: S,M,L
Min Qty: 200K - Max Qty: 7M

PRODUCT SPECIFICATIONS

Unit: paire
From order to pick up - ex-work: 7 days
Incoterm & City: EXW China

Reference: Nitrile Gloves



GLOVES

FEATURES

N920 Examination gloves (Nitrile
Powder Free)
Sizes: S,M,L
Min Qty: 200K
Max Qty: 7M

PRODUCT SPECIFICATIONS

Unit: paire
Lead time: From order to pick up
Ex-Work: 1-2 weeks
Incoterm & City: EXW Thailand

Reference: Latex Gloves



GLOVES

FEATURES

Pouder free nitrile gloves
M-35%, L-35%, S-15%, XL-15%,
Length 240mm
10 boxes/ctn

PRODUCT SPECIFICATIONS

Unit: box
Stock: 4.4M
100 pcs (50 pairs) in a box 22x12x6 cm
Incoterm & City: FCA TIANJING AIRPORT

Reference: Gloves



GLOVES

FEATURES

Disposable medical latex gloves
Color: Blue 6.2g Powdered
Emulsion
Min/Max Order Qty: 100,000

PRODUCT SPECIFICATIONS

Unit: paire
1 pack (100pcs/pack)
Incoterm & City: EXW China

Reference: Gloves

PROTECTIVE CLOTHING



PROTECTIVE SUITS

FEATURES

Material: SMS non-woven fabric,
SPP nonwoven fabric, film
material nonwoven fabric
65g material
Min/Max Order Qty: 10,000

PRODUCT SPECIFICATIONS

Unit: pc
Lead time: Within 10 days after deposit
is received
Incoterm & City: EXW China

**Reference: Medical Disposable
Protective Suit**



COVERALL

FEATURES

COVERALL EN14126
Min/Max Order Qty: 100,000
12 units per box

PRODUCT SPECIFICATIONS

Unit: pc
Stock: 200K
Lead time: 100,000 pcs/day
Incoterm & City: FOB ANKARA (TURKEY)

Reference: Coverall



PROTECTIVE CLOTHING

FEATURES

Medical protective clothing
Bacterial filtration efficiency > 95%
Min/Max Order Qty: 100,000

PRODUCT SPECIFICATIONS

Unit: pc
Incoterm & City: EXW China

Reference: Protective Clothing



ISOLATION SHOE COVER

FEATURES


Isolation Shoe Cover
99,99% sterilization
Min/Max Order Qty: 10,000

PRODUCT SPECIFICATIONS

Unit: pc
Incoterm & City: EXW China

Reference: Isolation Shoe Cover

SAFETY GOGGLES



GOGGLE GLASSES

FEATURES

Clear Safety Glasses Droplet
Proof Protective Eyewear

PRODUCT SPECIFICATIONS

Unit: pc
Incoterm & City: EXW China

Reference: Goggle Glasses



PROTECTIVE GLASS


FEATURES

AL026
Frame width:144MM
Frame height:56mm
Frame leg length:119mm
Min/Max Order Qty: 1,000,000
2pcs/inner box; 300pcs/ctn

PRODUCT SPECIFICATIONS

Unit: pc
Lead time: Daily Production 20,000
Incoterm & City: EXW Factory in China

Reference: Protective Glass



SAFETY GOGGLES

FEATURES

EF005
Frame width:192MM
Frame height:87mm
Frame thickness:24mm
Min/Max Order Qty: 1,000,000
100pcs/carton

PRODUCT SPECIFICATIONS

Unit: pc
Lead time: Daily Production 10,000
Incoterm & City: EXW Factory in China

Reference: Safety Goggles



PROTECTIVE GLASS

FEATURES

Protective Glass
Min/Max Order Qty: 350,000
Packing Details: 20pcs/ inner
box 200 pcs per outer carton
size: 68 x 36.3 x 41.5cm

PRODUCT SPECIFICATIONS

Unit: pc
Stock: 500K
Incoterm & City: FCA SHENZEN (CHINA)

Reference: Protective Glass



GOGGLES

FEATURES

Medical anti fog mask Material:
Anti fog surface, anti dust, anti
impact, anti UV, anti splash,
light quality, high light
transmission
Min/Max Order Qty: 10,000

PRODUCT SPECIFICATIONS

Unit: pc
Incoterm & City: EXW CHINA

Reference: Goggles

FACE SHIELD



MASK FACE SHIELD

FEATURES

Face Shield - AL-PS-01
300pcs/ctn
50*35*30cm

PRODUCT SPECIFICATIONS

Unit: pc
Incoterm & City: FOB NINGBO

Reference: MASK Face Shield



MEDICAL FACE SHIELD

FEATURES

Protective Shield
Material: Anti fog PVT
Min/Max Order Qty: 100,000
1 pack (100pcs/pack)

PRODUCT SPECIFICATIONS

Unit: pc
Incoterm & City: EXW China

Reference: MASK Face Shield



FACE PROTECTION

FEATURES

Protective shield, face shield can
protects the face and eyes
Min Order Qty: 50,000

PRODUCT SPECIFICATIONS

Unit: pc
Lead time: 40K pcs/day
Incoterm & City: EXW China

Reference: Face Protection

TEST KITS



SUGENTECH TEST KITS

FEATURES

SGTi-flex Test Kits
Accuracy: 95.3%
Test Result: 10-15mins
Min/Max Order Qty: 10,000
Kit contains 25 test

PRODUCT SPECIFICATIONS

Unit: pc

Reference: Sugentech Test Kits



BIO MEDOMICS TEST KIT

FEATURES

COVID 19 KIT TEST PCR
Min/Max Order Qty: 350,000
50 units per box

PRODUCT SPECIFICATIONS

Unit: pc
Stock: 100K
Lead time: 350,000 box/day
Incoterm & City: FOB SHANGHAI (CHINA)

Reference: Bio Medomics Test Kit



VIVA DIAG TEST KIT

FEATURES

TOP VIVA DIAG DETECTION KIT - RAPID
Min/Max Order Qty: 100,000
FDA - CE all APPROVED
88 % security

PRODUCT SPECIFICATIONS

Unit: pc
Stock: 20M
Lead time: 500,000 per day
Incoterm & City: FOB CHINA

Reference: ViVa Diag Test Kit



TOP PQR TEST LAB

FEATURES

High Level Nose and Mouth PQR Lab test
Min/Max Order Qty: 50,000
FDA - CE all APPROVED
100 % security

PRODUCT SPECIFICATIONS

Unit: pc
Stock: 10M
Lead time: 200,000 per day
Incoterm & City: FOB CHINA

Reference: TOP PQR TEST LAB

FOSUN PHARMA

TESTING KIT

FEATURES

FOSUN PHARMA Fosun 2019-nCoV qPCR
Min/Max Order Qty: 10,000
Kit contains 25 test

PRODUCT SPECIFICATIONS

Unit: pc
Incoterm & City: EXW China

Reference: Testing Kit

PERSONAL PROTECTIVE EQUIPMENT



ADVANCED HAND SANITIZER

FEATURES

Advanced Hand Sanitizer

PRODUCT SPECIFICATIONS

Unit: pc
Lead time: 20-50K bottles/day
Incoterm & City: EXW China

Reference: Advanced Hand Sanitizer



ALCOHOL SPRAY & HAND SANITIZER

FEATURES

Alcohol Spray & Hand Sanitizer

PRODUCT SPECIFICATIONS

Unit: pc
Lead time: 20-50K bottles/day
Incoterm & City: EXW China

Reference: Alcohol Spray & Hand Sanitizer

OXIMETER



OXIMETER

FEATURES

Oximeter - C101H1
100pcs per Carton
Size: 26*41*35cm
Carton Gross
Weight: 8KG

PRODUCT SPECIFICATIONS

Unit: pc
Lead Time: Delivery: 7 days after confirm all details and the receiving the payment
Incoterm & City: EXW

Reference: Oximeter



FINGERTIP PULSE OXIMETER

FEATURES

- Fresh and elegant pattern;
 - Four-way OLED display of 0.95 inches;
 - Good anti-wrestling character,
 - Working properly even after dropping from the high place of 1.2m;
 - Thin and light body with 24 mm thick and 36 g weight;
 - With bluetooth and app
 - Built-in Rechargeable Lithium Ion Battery Cell;
- 40pcs/box

PRODUCT SPECIFICATIONS

Unit: pc
Quantity Negotiable depending on stocks & delivery time
Lead time: 1,000pcs in 5 days
Incoterm & City: FOB SHANGHAI

Reference: Fingertip Pulse Oximeter

MEDICAL DEVICES



HOSPITAL BED

FEATURES

Movable semi-fowler bed with ABS headboards B-21-1 Oversize: 2140mm(L)*940mm(W)*500mm(H)
Main features:
1. Epoxy coated bed frame, with Collapsible aluminum alloy side rails, and detachable ABS engineering plastic headboards,
2. single function, which can be operated by crank, the details are as follows: (1)back rest:0-70±5°
3. Anti-bumper in four corners, with I.V. rod locations
4. Four dia-125mm castors with brakes
5. Freight saving knock-down construction.

PRODUCT SPECIFICATIONS

Unit: pc
Lead Time: Delivery 40 days after order
Remarks: Warranty 1 Year
Incoterm & City: FOB Tianjin

Reference: Hospital Bed B-21-3



INFUSION PUMP

FEATURES

Infusion pump - SUN-900
4 units/carton.
carton size: 50*50*36cm

PRODUCT SPECIFICATIONS

Unit: pc
Incoterm & City: FOB SHANGHAI

Reference: Infusion pump



SYRINGE PUMP

FEATURES

Syringe pump (single channel) SUN-500
5 units/carton.
carton volume: 0.11m³

PRODUCT SPECIFICATIONS

Unit: pc
Incoterm & City: FOB SHANGHAI

Reference: Syringe pump (single channel)



6 CHANNEL ECG

FEATURES

6 channel ECG
ECG-1206

PRODUCT SPECIFICATIONS

Unit: pc

Reference: 6 channel ECG



DEFIBRILLATOR/MONOPHASIC

FEATURES

Defibrillator/monophasic
SUN-9000A

1unit/carton.
carton size: 58*58*27cm

PRODUCT SPECIFICATIONS

Unit: pc
Incoterm & City: FOB SHANGHAI

Reference: Defibrillator/ monophasic



MEDICAL TENT

FEATURES

Aluminum Tent: 6X12m/260
Color: White
Side Height: 2.6m
Ridge Height: 3.6m
Min Qty: 1 - Max Qty: Negotiable
Including: aluminum frame, white
PVC fabric roof covers, white
gable triangle covers, plain PVC
sidewalls all around, 4pcs mesh
windows for entrance

PRODUCT SPECIFICATIONS

Unit: set
Lead time: 25 days after 30% deposit
received
Incoterm & City: FOB ZHUHAI

Reference: Medical Tent



ROLL STAND

FEATURES

Roll Stand
Min/Max Order Qty: 300

PRODUCT SPECIFICATIONS

Unit: pc

Reference: Roll Stand



ADULT, ACTIVE, OXYGEN

FEATURES

Adult, Active, Oxygen
Min/Max Order Qty: 40

PRODUCT SPECIFICATIONS

Unit: pc

Reference: Adult, Active, Oxygen



PEDIATRIC, ACTIVE, HEATED, OXYGEN

FEATURES

Pediatric, Active, Heated,
Oxygen
Min/Max Order Qty: 10

PRODUCT SPECIFICATIONS

Unit: pc

Reference: Pediatric, Active, Heated, Oxygen



TRAVEL SUCTION CANISTER

FEATURES

Travel Suction Canister
Min/Max Order Qty: 30

PRODUCT SPECIFICATIONS

Unit: pc

Reference: Travel Suction Canister



EXTERNAL BACTERIAL FILTER

FEATURES

External Bacterial Filter
Min/Max Order Qty: 40

PRODUCT SPECIFICATIONS

Unit: pc

Reference: External Bacterial Filter



EXTERNAL SUCTION CANISTER ADAPTER

FEATURES

External Suction Canister
Adapter
Min/Max Order Qty: 60

PRODUCT SPECIFICATIONS

Unit: pc

Reference: External Suction Canister Adapter



HUMIDIFIER BYPASS

FEATURES

Humidifier Bypass
Min/Max Order Qty: 10

PRODUCT SPECIFICATIONS

Unit: pc

Reference: Humidifier Bypass



NEBULIZER FILTER

FEATURES

Nebulizer Filter
Min/Max Order Qty: 200

PRODUCT SPECIFICATIONS

Unit: pc

Reference: Nebulizer Filter

O2 LOW-PRESSURE INLET ADAPTER



FEATURES

O2 Low-Pressure Inlet Adapter
Min/Max Order Qty: 40

PRODUCT SPECIFICATIONS

Unit: pc

Reference: O2 Low-Pressure Inlet Adapter

PATIENT AIR INTAKE FILTER



FEATURES

Patient Air Intake Filter
Min/Max Order Qty: 30

PRODUCT SPECIFICATIONS

Unit: pc

Reference: Patient Air Intake Filter

FAN FILTER



FEATURES

Fan Filter
Min/Max Order Qty: 60

PRODUCT SPECIFICATIONS

Unit: pc

Reference: Fan Filter

NEBULIZER



AIR COMPRESSING NEBULIZER 608D

FEATURES

Operating voltage : 220V-230V, 50Hz AC or 110-120V, 60Hz AC
Power consumption : 80W
Max negative pressure compressing pump: $\geq 0.15\text{MPa}$
Free air flux compressing pump: $\geq 10\text{L/min}$ Max nebulizing rate: $\geq 0.20\text{mL/min}$
Continuous working time: 7,000 hours N.W/G.W: 1.7/ 1.87 KGS
Packing Dim: 265*195*135 mm
6 Colorful case optional
8pcs/carton

PRODUCT SPECIFICATIONS

Unit: pc
Quantity Negotiable depending on stocks & delivery time
Lead time: 500pcs/week
Incoterm & City: FOB SHANGHAI

Reference: Air Compressing Nebulizer 608D



AIR COMPRESSING NEBULIZER 408D

FEATURES


Operating voltage : 220V-230V, 50Hz AC or 110-120V, 60Hz AC
Power consumption : 80W
Max negative pressure compressing pump: $\geq 0.15\text{MPa}$
Free air flux compressing pump: $\geq 10\text{L/min}$ Max nebulizing rate: $\geq 0.20\text{mL/min}$
Continuous working time: 7,000 hours N.W/G.W: 1.7/ 1.87 KGS
Packing Dim: 265*195*135 mm
10pcs/carton

PRODUCT SPECIFICATIONS

Unit: pc
Quantity Negotiable depending on stocks & delivery time
Lead time: 500pcs/week
Incoterm & City: FOB SHANGHAI

Reference: Air Compressing Nebulizer 408D

RESPIRATORS



RESUSCITATION RESPIRATOR

FEATURES

RESUSCITATION RESPIRATOR

CARTON SIZE:
35*28*17cm/Carton
4.2 kg/Carton

PRODUCT SPECIFICATIONS

Unit: pc
Incoterm & City: RMB

Reference: RESUSCITATION RESPIRATOR



RESPIRATORY SYSTEM

FEATURES

Ventilator, Cough Assist,
Suction, Nebulizer with external
high & low pressure Oxygen
Min/Max Order Qty: 100

PRODUCT SPECIFICATIONS

Unit: pc

Reference: Respiratory System



RESPIRATEURS VG 70

FEATURES

RESPIRATEURS VG 70

PRODUCT SPECIFICATIONS

Unit: pc
Incoterm & City: FOB CHINA

Reference: RESPIRATEURS VG 70



RESPIRATEURS ICU

FEATURES

RESPIRATEURS ICU
COMA/REANIMATION

PRODUCT SPECIFICATIONS

Unit: pc
Incoterm & City: FOB TURQUIE

Reference: RESPIRATEURS VG 70



RESPIRATEURS YH 830

FEATURES

CONVIENT PARFAITEMENT A
L'ASSISTANCE RESPIRATOIRE
PARTIELLE - PAS DE PRISE EN
CHARGE DE MALADE EN COMA
INVASIF/NON INVASIF

PRODUCT SPECIFICATIONS

Unit: pc
Incoterm & City: FOB CHINA

Reference: RESPIRATEURS YH 830

PATIENT MONITOR



PATIENT MONITOR AURORA12 (STANDARD)

FEATURES

- 12.1" high resolution industry color TFT screen.
- Basic 6 standard parameters: 5leads ECG, NIBP, SpO2, RESP, 2-Temp,PR/HR.
- Printer can not be optional
- Build-in modular
- Optional function: Touch screen, WIFI, 12 leads ECG, 5AH lithium battery, IBP, IBP, CO2,Central monitoring system (64 bedside) 1pc/carton

PRODUCT SPECIFICATIONS

Unit: pc
Min Qty: 20pcs
Max Quantity Negotiable depending on stocks & delivery time
Lead time: 200pcs/week
Incoterm & City: FOB SHANGHAI

Reference: Patient Monitor AURORA12 (Standard)



PATIENT MONITOR AURORA-S12 (SEMI-MODULAR)

FEATURES

- 12.1"high resolution industry color TFT screen.
- Basic 6 standard parameters: 5leads ECG, NIBP, SpO2, RESP, 2-Temp,PR/HR.
- Printer is optional
- can insert modular directly
- Optional function: Printer,Touch screen,WIFI,12 leads ECG,5AH lithium battery,IBP, 2IBP,CO2,Central monitoring system(64 bedside) 1pc/carton

PRODUCT SPECIFICATIONS

Unit: pc
Min Qty: 20pcs
Max Quantity Negotiable depending on stocks & delivery time
Lead time: 200pcs/week
Incoterm & City: FOB SHANGHAI

Reference: Patient Monitor AURORA-S12 (Semi-Modular)



PATIENT MONITOR

FEATURES

Patient Monitor
PM200-A

PRODUCT SPECIFICATIONS

Unit: pc

Reference: Patient Monitor

DISINFECTION MACHINES



TD-001 MOBILE TEMPERATURE MEASUREMENT & DISINFECTION INTEGRATED MACHINE


FEATURES

- Main material is galvanised steel plate and acrylic glass.
- With 2 universal wheels with braker, and 2 directional wheels.
- Using industrial-grade binocular wide dynamic camera, night infrared and LED dual photo flood lamp.
- 8-inch screen display.
- Supports accurate face recognition and comparison while wearing a mask.
- Supports human body temperature detection and temperature display

PRODUCT SPECIFICATIONS

Unit: set
 Stock: 8 Sets in Stock
 4sets/20GP OR 12sets/40HQ
 Production capacity: 3000/month
 Machine external size: 1790*1130*2390mm
 Net Weight: 370KGS
 Container Loading (assembled in factory): 4sets/20GP container, 12sets/40HQ container
 Incoterm & City: FOB Qingdao

Reference: D-001 mobile temperature measurement & disinfection integrated machine



TD-003 ON-SITE ASSEMBLY THERMOMETRY & DISINFECT MACHINE

FEATURES

- To load more sets by containers, this model is unassembled in factory, you need to assemble when you got it.
- Main material is Medical grade purification board.
- No wheels, it is not mobile type.
- 8-inch screen display.
- Supports accurate face recognition and comparison while wearing a mask.
- Supports human body temperature detection and temperature display.

PRODUCT SPECIFICATIONS

Unit: set
 Stock: 8 Sets in Stock
 17sets/20GP OR 40sets/40HQ
 Production capacity: 3000/month
 Incoterm & City: FOB Qingdao
 Machine external size: 1870*1080*2200mm
 Machine internal size: 1810*960*2130mm
 Net Weight: 200KGS. Container Loading (packed in 2 plywood cases/set): 17sets/20GP container, 40sets/40HQ container

Reference: TD-003 on-site assembly thermometry & disinfect machine

GET IN TOUCH

LET'S TALK ABOUT HOW
WE CAN WORK TOGETHER.

IF YOU ARE INTERESTED TO
GET TO KNOW MORE ABOUT
OUR PRODUCTS AND PRICES
PLEASE CONTACT US ON:

HONG KONG

Unit A1, 1/F, Long Kee
Building, 54 Cameron Road, Tsim Sha
TSui, Kowloon, Hong Kong

DUBAI

Maze Tower – Sheikh Zayed Road
P.O Box 122636 – Dubai
UAE

Tel: +971 4 3252 223

Fax: +971 4 3252 255

E-mail: contact@winsalus.com

Website: www.winsalus.com

WINSALUS

